July 09, 2021



Mr. Yohan Kim C1IT Co.,Ltd Jomaru-ro 385beon-gil

Bucheon-si 14556 KOREA, REPUBLIC OF

Re: EMVCo Letter of Approval - Contact Terminal Level 2

EMV Application Kernel: C1ICC Version 3.0.0

Approval Number(s): **2-04857-1-1S-FIMK-0721-4.3j**

2-04857-1-1P-FIMK-0721-4.3j 2-04857-1-1OS-FIMK-0721-4.3j

The EMV Application Kernel has been tested on the following terminal

Terminal: CBP-2000

PinPad: 1P = CBP-APP, C1ICC-2UI V3.1.0
Operating System: 1OS = C1CBP-OS Version 1.0

Renewal Date: **29-Jun-2025**

Report ID Session 1: S21REP00-076 Version 1.0 - FIME Korea Ltd

Kernel Checksum:

AFFE36E7

Configuration Checksum:

Config	Vendor Config ID	Terminal	Checksum
1S		22	C139D76C

PIN Pads Checksums:

PinPad	Checksum
1P	

2-04857 / 09-Jul-2021

Dear Mr. Kim:

EMVCo, LLC ("EMVCo"), a Delaware limited liability company, has received your request for Level 2 terminal type approval for the EMV Application Kernel identified above (hereafter refered to as the "Application"). In connection with your request, we have reviewed all test file number(s) listed above.

After assessing such file(s), EMVCo has found reasonable evidence that the submitted samples of the above referenced Application sufficiently conform to EMV Integrated Circuit Card Specifications for Payment Systems, Version 4.3 of November 2011.

EMVCo hereby grants your Application EMVCo Type Approval for Terminal Level 2, based on the requirements stated in the EMV 4.3 Specifications. Please note that EMVCo may publish this letter and publicly identify your Application as an approved Application, including in EMVCo's published list of approved Applications.

EMVCo's grant to your Application is subject to and specifically incorporates (i) the General Terms and Conditions to the Letter of Approval enclosed as Exhibit A, and (ii) the Specific Terms and Conditions to the Letter of Approval attached hereto as Attachment 1. Because EMVCo's grant is subject to such limitations, including certain events of termination, you and any third parties should confirm that such approval is current and has not been terminated by referring to the list of approved Applications published on the EMVCo website (www.emvco.com).

Please note that EMVCo makes certain logos available for use in connection with an Application that has received EMVCo approval. To obtain permission to use the "EMV Approved" certification mark, please contact EMVCo to request a license agreement.

This Letter of Approval is valid while the approval number is posted on the EMVCo website.

EMVCo, LLC, a Delaware limited liability company

By:

Name: Frédéric Fortin

Title: EMVCo Terminal Type Approval Chair

(rev. 21/02/2014) Page 2 of 7 2-04857 / 09-Jul-2021

erminal Capabilities	Value Supported
ard Data Input Capability	
Manual Key Entry	Yes
Magnetic Stripe	Yes
IC with Contacts	Yes
VM Capability	
Plaintext PIN for ICC Verification	Yes
Enciphered PIN for online Verification	Yes
Signature (Paper)	Yes
Enciphered PIN for offline Verification	Yes
No CVM Required	Yes
SB185	No
Offline Finger	No
Online Finger	No
Offline Facial	No
Online Facial	No
Offline Palm	No
Online Palm	No
Offline Iris	No
Online Iris	No
Offline Voice	No
Online Voice	No
ecurity Capability	
Static Data Authentication and Dynamic Data Authentication	Yes
Card Capture	No
Combined Dynamic Data Authentication / Application Cryptogram Generation	Mode 1
ransaction Type Capability	
Cash	No
Goods	Yes
Services	Yes
Cash Back	No
Inquiry	No
Transfer	No
Payment	No
Administrative	No
Cash Deposit	No
erminal Data Input Capability	
Does terminal have keypad	Yes
Numeric Keys	Yes
Alphabetic and Special Character Keys	No
Command Keys	Yes
Function Keys	Yes
erminal Data Output Capability	
Print, Attendant (Mandatory for terminals supporting signature)	Yes
Print, Cardholder	No
Display, Attendant (Mandatory for Attended terminals)	Yes
Display Cardholder	No

2-04857 / 09-Jul-2021

erminal Capabilities	Value Supported
erminal Data Output Capability	
Code Table 10	No
Code Table 9	No
Code Table 8	No
Code Table 7	No
Code Table 6	No
Code Table 5	No
Code Table 4	No
Code Table 3	No
Code Table 2	No
Code Table 1	No
pplication Selection	
Support PSE selection Method	Yes
Support Cardholder Selection & Confirmation	Yes
Does Terminal have a preferred order of displaying applications	No
Does terminal perfom partial AID selection	Yes
Does the terminal have multi language support	Yes
Does the terminal support the EMV Language Selection method	No
Does the terminal support the Common Character Set as defined in Annex B table 20 Book 4	Yes
electable Kernel Configurations	
Is your Multi-Configuration Kernel capable of dynamically selecting a configuration at the time of transaction ata Authentication What is the maximun supported Certificate Authority Public Key Size	No 248
(Mandatory for terminals supporting Data Authentication with minimal support for 248 bytes)	240
What exponents does the terminal support (Mandatory for terminals supporting Data Authentication, 3 and 2^16+1) During data authentication does the terminal check validity for revocation of Issuer Public	3 and 2^16+1
Key Certificate	Yes
When supporting certificate revocation, what is the Certificate Revocation List format?	RID, CA Public Key Inde Certificate Serial Numbe
Does the terminal contain a default DDOL (Mandatory for terminals supporting DDA)	Yes
Is operator action required when loading CA Public Key fails	Yes
CA Public Key verified with CA Public Key Check Sum	Yes
ardholder Verification Method	
Terminal supports bypass PIN Entry	Yes
Terminal supports Subsequent bypass PIN Entry	Yes
Terminal supports Get Data for PIN Try Counter	Yes
Terminal supports Fail CVM	Yes
Are amounts known before CVM processing	Yes
erminal Risk Management	
Floor Limit Checking (Mandatory for offline only terminals and offline terminals with online capability)	Yes
Random Transaction Selection (Mandatory for offline terminals with online capability, except when cardholder controlled)	Yes
Velocity Checking (Mandatory for offline only terminals and offline terminals with online capability)	Yes
Transaction Log	No
Exception File	No
Performance of Terminal Risk Management irrespective of AIP setting (expected behavior)	Yes

(rev. 21/02/2014) Page 4 of 7 2-04857 / 09-Jul-2021

rminal Capabilities		Value Supported	
rminal Action Analysis			
Does the terminal support Terminal Action Codes		Yes	
Can the Terminal Action Codes be deleted or disabled?		Yes	
If yes what are the default TAC values supported? (according to Book 3 Section 10.7)	TAC Denial:	000000000	
(according to book 3 Section 10.7)	TAC Online:	000000000	
	TAC Default:	000000000	
How does Offline Only Terminal process Default Action Codes prior to First G (Offline Only Terminal shall support one option)	enerate AC?	N/A	
How does online only terminal process TAC/IAC-Default when unable to go o	nline?	N/A	
ompletion Processing			
Transaction Forced Online Capability		Yes	
Transaction Forced Acceptance Capability		No	
Does terminal Support advices		No	
Does the terminal support Issuer initiated Voice Referrals		Yes	
Does the terminal support Batch Data Capture		No	
Does the terminal support Online Data Capture		Yes	
Does the terminal support a Default TDOL		Yes	
If a Default TDOL is supported, can this default TDOL be not configured (or n the terminal	ot loaded) in	No	
Default TDOL TVR bit set before or after the 1st Generate AC Terminal Actio	n Analysis	Before	
ception Handling	<u> </u>		
What is the POS Entry Mode value when IC cannot be read and the transacti using Magstripe (Mandatory for attended terminals)	on falls back	02	
scellaneous			
Is the terminal equipped with a PIN Pad		Yes	
Is the amount and PIN entered at the same keypad		Yes	
Is the ICC/Magstripe Reader combined		No	
If Combined ICC/Magstripe reader is supported, is Magstripe read first		n/a	
Does the terminal support account type selection		No	
Does the terminal support 'on fly' script processing (not recommended behav	ior)	No	
Is the Issuer Script device limit greater than 128 bytes		No	
If the Issuer Script device limit is greater than 128 bytes, what is the value su	pported		
Does the terminal support Internal Date Management		Yes	
Is the Level 2 Contact Kernel Random Generator using the algorithm describe	ed in SB144	Yes	
If the Level 2 Contact Kernel Random Generator is not using the algorithm de SB144, is this function PCI approved		n/a	
If the Level 2 Contact Kernel Random Generator is not using the algorithm de SB144, describe the function (such as algorithm used, etc)	escribed in		
Is the Level 2 Contact Kernel Software dependent on the Terminal Hardware		No	
If answer to previous question is Yes, describe the function and the Hardware)		
Are the Cryptographic functions (RSA, Hash, etc) of the Level 2 Contact Kern dependent on the Terminal Hardware	el Software	No	
If answer to previous question is Yes, describe the Hardware			
Is any other functions of the Level 2 Contact Kernel Software dependent on the Hardware	ne Terminal	No	
If answer to previous question is Yes, describe the functions and the Hardwal	·e		

(rev. 21/02/2014) Page 5 of 7 2-04857 / 09-Jul-2021

erminal Capabilities	Value Supported
liscellaneous	
Does the terminal support Receipt (by printing or any electronic means)?	Yes
Does the terminal store declined transactions?	No
List the Currency Codes supported as for ISO 4217	410 840
Does the terminal support the Application Selection Registered Proprietary Data (ASRPD)?	No
List the Language(s) supported as for ISO 639 (minimum one shall be declared, and up to 4 if Multiple Languages are supported)	eng kor
Can the Kernel be configured so the data object 'Terminal Risk Management Data' '9F1D' is absent or configured with no value (00 is a value)?	Yes
Can the Transaction Sequence Counter (TSC) be personalized to any value?	No
If answer to previous question is Yes, what is the Maximum Value of the Transaction Sequence Counter?	
necksum	
Does the product comply with the Checksum rules as defined in Contact Terminal Level 2 administrative process	Yes
This is an Initial submission or Subsequent submission or renewal of the original approved product prior to the effective date of checksum rules (cf Terminal Type Approval Bulletin No. 134)	n/a
Configuration Checksum (Static Kernel only)	C139D76C

Page 6 of 7 2-04857 / 09-Jul-2021

Attachment 1 Specific Terms and Conditions to the Letter of Approval

Restriction:		
None		